

SPECIMEN LISTE DES CONFIRMATIONS REALISEES AU LABORATOIRE

Epimethendiol 17Epimethandienone 6betaOHmethandienone Methyltestosterone M1,M2	EC19C	I-CONF-19C	M-EX-04E	M-AN-21E	GC/Trappe (SCAN)
Epioxandrolone, Oxandrolone, Turinabol-M	EC20	I-CONF-20	M-EX-14E	M-AN-11	GC/Quad (SCAN)
3'OH Stanozolol (SI=25ng/mL)	EC21B	I-CONF-21B	M-EX-13B	M-AN-22B	GC/Trappe(MS2)
Zeranol et Taleranol (α et β Zearalanol)	EC39B	I-CONF-39B	M-EX-39	M-AN-39	HPLC/MS3 ESI
Quali 19Nor (SI=100ng/mL)	EC23A	I-CONF-23A	M-EX-14	M-AN-11	GC/Quad (SCAN)
Quali 19Nor (SI=25ng/mL)	EC23B	I-CONF-23B	M-EX-14	M-AN-24B	GC/Trappe (MS2)
Stabilité 19Nor		I-CONF-23E	M-EX-14D	MAN25B	GC/Quad (SCAN)
Quanti 19Nor (SI=100ng/mL)	EC23C	I-CONF-23C	M-EX-14	M-AN-25	GC/Quad (SIM)
Quanti 19Nor (SI=25ng/mL)	EC23D	I-CONF-23D	M-EX-14	M-AN-25	GC/Quad (SIM)
Semi Quanti T/E	EC24D	I-CONF-24D	M-EX-04B	M-AN-27	GC/Quad (SIM)
β -Trenbolone	EC22	I-CONF-22	M-EX-17	M-AN-23	HPLC/MS2 APCI
Anabolisants * LCMS	EC22A	I-CONF-22A	M-EX-03D	M-AN-47	HPLC/MS2 ESI
Anabolisants * LCMS	EC22B	I-CONF-22B	M-EX-03D	M-AN-47	HPLC/MS3 ESI
Analyse C12/C13 des métabolites de la testostérone	EC31	I-CONF-31	M-EX-24	M-AN-52 M-AN-41	GC/MS (SCAN) GC/C/IRMS
Terbutaline	EC18B	I-CONF-18A	M-EX-13A	M-AN-19	GC/Quad (SCAN)
Reproterol, Fenoterol	EC34	I-CONF-34	M-EX-34	M-AN-11	GC/Quad (SCAN)
Salbutamol	EC18B	I-CONF-18B	M-EX-13A	M-AN-19	GC/Quad (SCAN)
Salbutamol en MS2	EC18E	I-CONF-18E	M-EX-13A	M-AN-59	GC/Trappe (MS2)
Quanti Salbutamol >500ng/mL	EC18G	I-CONF-18G	M-EX-13A	M-AN-19C	GC/Quad (SIM)
EPO	ES07	I-CONF-07	M-EX-28 / 28B	M-AN-43	Immuno-détection
HES	EC30	I-CONF-30	M-EX-22	M-AN-35	GC/MS (SCAN)
Hormones peptidiques : LH - β -hCG	EC06	I-CONF-06	Inclus dans M-AN-08	- M-AN-08 - M-AN-53	- Immunofluorescence quantitative - Immunochromatographie qualitative
Triamterene	EC40	I-CONF-40	M-EX-40	M-AN-40	GC/Quad (SCAN)
Diurétiques *	EC28A	I-CONF-28A	M-EX-03C	M-AN-33	HPLC/MS2 ESI
Diurétiques *	EC28B	I-CONF-28B	M-EX-03C	M-AN-33	HPLC/MS3 ESI
Thiazides	EC36A	I-CONF-36A	M-EX-36	M-AN-33	HPLC/MS2 ESI
Amiloride	EC33A	I-CONF-33A	M-EX-02A	M-AN-46	HPLC/MS2 ESI